

Woven With Happy Part 3-Final

Please start with part 1 to create the mesh base.



Materials and Details for the edging

- Use the same yarn and hook as you used for the mesh base.
- Notions: Yarn needle for weaving

Tips

- Numbers at the beginning of each line may refer to steps and not indicate number of rows.
- If you have any questions about this pattern please contact heidi@snappy-tots.com.

Included in this pattern: Edging for all of the pieces and finishing the pillow.

Edging

This step is worked around the entire outer edge of the piece. Choose one of the following options:

Option A: Edging for weaving done with a crocheted chain

With the same size hook and yarn, attach the yarn to the first st of the last row (right corner). Ch 1, sc in the same st and in each st across until 1 st remains, (sc, ch 1, sc) in the last st.

Working across the edge of the piece, sc in the first hole before the first woven chain and sc after the same chain. You will be working 2 sc in each hole (one on either side of the woven chain) to the end of the row. (2 sts per row hole/mesh row of piece).

(sc, ch 1, sc) in the first st of the beginning row of the piece. Sc in each st across until 1 st remains, (sc, ch 1, sc) in the last st.

Working across the second edge of the piece, sc in the first hole before the woven chain and sc in the first hole after the same chain. Repeat this for each hole to the end of the edge. Ch 1, sl st in first st of the round to join.

Finish off and weave in ends or continue for one more round. If you would like to add tassels like the other option, you could skip to step #2 of Option B.



Ch 1, sc in each st around, working (sc, ch 1, sc) in each corner. Sl st in first st of round to join. Finish off and weave in ends.

Option B: Edging for weaving done with yarn strands

1. After all of the weaving is complete, tie a knot at the edge for each of the yarn tail sections. Make sure you do not pull the yarn tails too much or it will cinch in the edges of your piece.

2. We want to make sure there is a tassel at the end of each weaving row. Notice in the first picture below there are some stripes of color that do not have yarn tails at the end. We will need to add the same amount of yarn strands at the empty ends. For example, I used 3 strands for weaving and I want to have at least 3" tails so I will cut 3 strands that each measure 6.25" long.

Pull one set of yarn tail ends through the end of a weaving row. See photo below. I also made sure there was a tassel at each corner.

Tie a knot at the edge.



3. After a tassel or yarn tails have been tied at the end of each weaving row, we will work one round of sc around the outer edge **IN A SPECIAL WAY**. Please follow the instructions below carefully.

With the same size hook and yarn used the for the mesh base, attach the yarn to the first st of the last row (right corner). Ch 1, sc in the same st and in each st across until 1 st remains. Each time you come to a tassel, split the tassel in half, pulling half of the strands forward and pushing half of the strands back. Just keep them out of the way for now. (sc, ch 1, sc) in the last st (corner).

Working across the edge of the piece, sc in the first hole before the first weaving strands. Make sure the tassel is split so half is in front and half is in back. Sc in the space after the weaving strands. Note: You will be working 2 sc in each hole (one on either side of the yarn strands) to the end of the row. (2 sts per row hole/mesh row of piece). (sc, ch 1, sc) in the first st of the beginning row of the piece. Sc in each st across until 1 st remains, (sc, ch 1, sc) in the last st.

